







Α				

built inspirations	
Roofs	1
Soft Cabs	1
Windshield & Mirrors	1
Doors & Rear Wind Protection	1
Skid Plates	2
Bumpers & Guards	2
Seat Accessories	3
LinQ: Easy on, easy off Cargo	3
Cargo & Racks	3
Lights	3
Audio & Communication Systems	4
Electrical & Electronic	4
Winches & Hitches	5
Performance	5
Covers & Add-Ons	5
Apache <sup>™</sup> Track Systems	5
Promount Plows	6
Tiron & Dimo	6

#### CAN-AMOFFROAD.COM

© 2020 Bombardier Recreational Products Inc. (BRP). All rights reserved. ®, TM and the BRP logo are trademarks of BRP or its Stifliates. CARLISLE is a trademark of Carlisle Companies. CHAMUDE and HIPORA are registered trademarks of Kolon Industries, Inc. CLARINO is a trademark of Kuraray Co. Ltd. COOLMAX and THERMOLITE are registered trademarks of INVISTA for durable fabrics. DRIRELEASE is a registered trademark of Optimer Inc. FOX is a registered trademark of FoX Racing Canada. GARMIN and MONTANA are registered trademarks of Garmin Ltd. IPOd is a registered trademark of Apple Inc. KOLPIN, GUN BOOT and IMPACT are registered trademarks of Kolpin Powersports Inc. KYB is a registered trademark of Kayaba. MicroSD is a registered trademark of SO Card Association. Mud Lite XTR and SS312 are trademarks of ITP Tires. NEXT G-1 VISTA is a trademark of Next Camo, LLC. NGK is a registered trademark of NGK Spark Plugs, Ltd. PRIMALOFT GOLD and PRIMALOFT BLACK are registered trademarks of Albany International Corp. TEFLON, TEFLON HT and KEVLAR are trademarks of E.I. DuPont de Nemours & Co. TWINNAIR is a trademark of Twin Air USA. UNI is a trademark of UNIFILTER Inc. VELCRO is a registered trademark of Velcor Industries. WARN is a trademark of Warr Industries. VAJASA is a registered trademark of VUASA Batteries Inc. ZILLA and BIGHORN 2.0 are trademarks of Maxxis. SCOTT is a trademark of Soxt Sports SA. The following trademarks are the property of their respective owners: BLUETOOTH, CREE, DURO, DWT, HELLA, ITP, KENDA, MOSSY OAK, RAM, SUR LAST, VISION, XPS and YOSHIMURA. DRAGONFIRE is a trademark of VRANASCO. Baja Designs is a registered trademark of Baja Designs inc. SO POWERSPORTS is a trademark of Power Sports LLC. Some models depicted herein may include optional equipment. Prices, if shown, are based on Manufacturer Suggested Retail Prices. Dealers may sell for a different price. For Canada and US, taxes are not included. Depending on location, products are distributed by BRP US Inc., Bome Brasil Motorsports LTDA. BRP resere

# EXPERTLY-CHOSEN PACKAGES



YOU CAN FINANCE THE PURCHASE OF ACCESSORIES with the purchase and financing of your Defender. Ask your dealer for all the details.

#### STARTER

Essential, recommended upgrades to immediately enhance any Can-Am vehicle.

#### **ADVANCED**

The best all-round, do-anything upgrades that have proven popular with experienced riders and new owners alike. Transform your Can-Am for the years of riding ahead.

#### PEAK

Limits are for other people: build your Can-Am Off-Road vehicle to overcome bigger obstacles & ride through larger adventures. ACCESSORIES | BUILD YOUR MAVERICK | ACCESSORIES



$\bigcap$	Ν	F
_	I V	

715002909	Half Windshield	p. 17
715004732	Aluminum Half Doors	p. 20
715002961	Dune Front Bumper	p. 25
715002962	Dune Rear Bumper	p. 25
715004778	LinQ 8 GAL (30 L) Cooler Box	p. 35
715002882	Yoshimura Slip-on Exhaust	p. 55

#### ADVANCED

STARTER

715002881	LinQ Pivoting Rack	p. 37
715004276	Upper Door Storage Bags	p. 38
715003529	Light Support Bar	p. 41
710006821	Baja Designs XL Sport LED Lights	p. 40
710006818	Baja Designs Squadron Sport LED Lights	p. 39
710006819	10" Baja Designs OnX6 LED Light Bar	p. 40

#### PEAK

715006315	Auxiliary Battery Installation Kit	p. 48
715004900	Audio Roof	p. 46
715002886	Lighted Whip Flag	p. 48
715002874	Electronic Device Holder	p. 47

\*Note that price does not include installation requirements and that part numbers may vary depending on vehicle model.

FOR THRILLS FROM DAY 1  — & EVERY DAY AFTER.		THE PERSON	
	0		
			4.4
Mist. W.			1
			MAVERICK
PONESTAR GUDOUU	PF	RFORMA	NCE

**GET THE MOST POPULAR** 

PERFORMANCE UPGRADES,

AND EFFECTIVE

715005510	Lonestar Racing Front Bumper	p. 27
715005512	Lonestar Racing Rear Bumper	p. 27
715005514	Lonestar Racing Rock Sliders	p. 28
715002902	Sport Roof	p. 12
715004694	Front Window Nets	p. 21

#### ADVANCED

715005277	ProVent Windshield	p. 17	
715006199	ProVent Roof Module Adapter Kit	p. 12	
715005279	ProVent Roof Module Kit	p. 12	
715006387	Rear Polycarbonate Window	p. 21	
715005183	In-Line Triple Yoshimura Slip-On Exhaust	p. 55	

#### PEAK

715002873	Complete MTX Audio system	p. 47
715003734	Lonestar Racing Fire Extinguisher Support	p. 54
715004866	Lonestar Racing Heavy-Duty Shift Plate & Knob	p. 52
715004865	Lonestar Racing Mud Flaps with Brackets	p. 52

\*Note that price does not include installation requirements and that part numbers may vary depending on vehicle model.

ADVENTURE

MAVERICK MAX

715003750	Sport Roof MAX	p. 12	
715007097	PowerFlip Windshield	p. 16	
715003868	Adventure Roof Rack	p. 37	
715002973	Fender Flares	p. 26	
715006387	Rear Polycarbonate Window	p. 21	

#### **ADVANCED**

STARTER

	715002903	Front Lower Door Panels	p. 20	
	715003751	Rear Lower Door Panels	p. 20	
	715003433	Front Pre-Runner Bumper	p. 24	
	715003436	Rear Pre-Runner Bumper	p. 24	
	715003888	Rock Sliders	p. 26	
	715004007	39" Double Stack LED Light Bar	p. 42	
	715002873	Complete MTX Audio System	p. 47	

#### PEAK

715003753	Upper Soft Door Panels	p. 21	
715003718	HMWPE Skid Plate Protection Kit	p. 22	
715004748	MTX Central Speakers	p. 47	
295100698	LinQ 4,2 Gal Cooler	p. 33	
715004301	LinQ Tool Box	p. 33	

<sup>\*</sup>Note that price does not include installation requirements and that part numbers may vary depending on vehicle model.

From the power system to speaker mounting, fit and finish, these audio systems were born to rock your Maverick.

# EXPERT CHOICE

#### SPORT ROOF

- Impact-resistant injected polypropylene.
- Excellent protection from the elements.
- · Provides excellent downhill visibility.
- · Windshield compatible. · Standard on X RS model.
- Maverick

• Easy, tool-less installation and removal with quick-release 1/4 turn fasteners and

Velcro straps. 715002902



Maverick MAX

715003750

· Easy installation.



# EXPERT CHOICE

#### PROVENT ROOF MODULE KIT

- Provides fresh air into the cab area.
- Optimal performance with full cab enclosure.
- 4 vents provide infinite adjustment of air flow for driver and passenger.
- Filter and pre-filter to limit dust intrusion.
- · Easy cleaning of filter and pre-filter.
- Patent-pending water management system to keep water out of cabin while maintaining air flow.
- Not compatible with roof mounted LED bars, roof racks.
- Outer plug closes air intake completely for winter or heavy weather.
- Requires ProVent Roof Module Adapter Kit (715006199 / 715006371 for MAX), no additional requirement for Can-Am Aluminium Roof.

Maverick, Maverick MAX

715005279



#### PROVENT ROOF MODULE **ADAPTER KIT FOR SPORT ROOF**

(Not illustrated)

- Adapter for fitting ProVent Roof Module Kit onto Maverick Sport Roof. • Includes roof adapter and hardware.
- Requires ProVent Roof Module Kit (715005279).

715006199

Maverick MAX 715007098

#### **BIMINI ROOF WITH SUN VISOR**

- · Heavy-duty canvas made of UV-resistant solutiondyed polyester.
- Innovative soft top comes with a hard visor that allows for storage of rolled-up soft top.
- · Easy, tool-less installation and removal with quick-release 1/4 turn fasteners and Velcro straps.

#### Maverick

715002901

715003749

#### **ALUMINUM ROOF**

- Formed aluminum roof 0.09" (2.3 mm) thick.
- Durable and lightweight.
- · Sporty look.
- Windshield compatible.
- Easy and tool-less installation

#### Maverick

715004224 · Black

715002900 • Silver







#### TINTED SUN VISOR

- Tinted polycarbonate construction.
- Extra protection for driver and
- passenger from the sun.
- Not compatible with Aluminum Roof and Full Windshields.

Maverick, Maverick MAX 715007098





#### **LONESTAR RACING ALUMINUM ROOF**

- 0.083" (2.1 mm) thick aluminum roof.
- Durable and lightweight.
- Enhances the vehicle's racing appearance thanks to an authentic sporty look combined with unique graphics.
- Offers you protection from the elements with a personalized touch.
- Includes middle intrusion bars for installation.
- · Lower profile than other roofs. • Compatible with Lonestar Racing Light Bar Racks.
- Not compatible LinQ Pivoting Rack, Light Support Bar and with Full Windshields.
- "Lonestar Racing for Can-Am" branded.



Hyper Silver / Black Graphics

Maverick

produced after January 1, 2017 715005508 - Hyper Silver



Maverick MAX

715005516 • Hyper Silver

715005515 • Black

Maverick

Maverick MAX 715004341 • Can-Am Red



Can-Am Red

produced after January 1, 2017 715004436 • Can-Am Red

intrusion bars for

installation





- 1. BIMINI ROOF WITH SUN VISOR
- 2. UPPER SOFT DOOR PANELS
- 3. SOFT REAR WINDOW
- 4. FULL WINDSHIELD HARDCOATED
- 5. LOWER DOOR PANELS

# HARSH ELEMENTS **DON'T STAND** A CHANCE!

#### **SOFT CAB ENCLOSURE**

- Protection for rider and passenger from the elements.
- For added cabin comfort, complete your cab enclosure with Cab Seal Kit.

#### Includes:

- Bimini Roof with Sun Visor • Full Windshield — Hardcoated
- Upper Soft Door Panels
- Front Lower Door Panels
- · Soft Rear Window 715003754

#### Maverick MAX

#### Includes:

- Bimini Roof with Sun Visor · Full Windshield — Hardcoated
- Upper Soft Door Panels
- Front Lower Door Panels
- · Soft Rear Window 715003755

#### **CAB SEAL KIT**

(Not illustrated)

- · Prevents dirt, dust and wind infiltration in the cab area.
- Improves cabin comfort for driver and passenger
- Recommended with Soft Cab Enclosures

715004433

**Maverick MAX** 715004434

#### **DESIGN** YOUR OWN CAB.

PICK THE ACCESSORIES OF YOUR CHOICE AND BUILD OR COMPLETE YOUR OWN CAB.

(V) 100% modular components designed to work together:

**ROOFS** P.11 **WINDSHIELDS** P.15 **DOORS** P.19 **REAR WINDOWS** P.19

# WINDSHIELD

DEVELOPED TOGETHER WITH YOUR MAVERICK TO ENSURE THEY FIT, LOOK AND PERFORM AS THEY SHOULD.



#### **POWERFLIP WINDSHIELD**

Allows you to quickly adapt to changing conditions by adjusting the windshield as you go.



QUANTUM<sup>†</sup> COATING Our Full Windshield -Hardcoated is made of high-impact-resistant polycarbonate to ensure a long life.

#### **100% INTEGRATED**

Your Can-Am's standard profiled cage allows our accessories to install easily, with a perfect fit.



#### **GLASS WINDSHIELD**

- · Curved and laminated glass full windshield.
- · Seals firmly against the cage and protects rider and passenger from the elements.
- Provides the best optical clarity and abrasion resistance.
- Must be used with Windshield Wiper & Washer Kit to maintain clear visibility during severe riding conditions, such as mud riding
- · Usage of a rear wind protection is recommended.


Maverick, Maverick MAX 715003281

#### **PROVENT WINDSHIELD**


- · High-impact-resistant Quantum<sup>†</sup> hardcoated polycarbonate full windshield.
- · Controllable vents to manage air flow.
- Optimal performance with full cab enclosure. · Channels air into the cabin, defogs windshield,
- fully closes to eliminate air flow.
- One upper vent and one lower vent with pre-filters.
- · Formed polycarbonate construction for enhanced rigidity.
- Provides excellent optical clarity and better abrasion resistance.
- Protects driver and passenger from the elements.
- Quick and easy tool-less installation or removal.
- Not compatible with Lonestar Racing roofs.

Maverick, Maverick MAX 715005277





**FULLY OPENED** for optimal visibility and ventilation



**INFINITE POSSIBILITIES IN BETWEEN** 

depending on protection, visibility and air flow preferences



**FULLY CLOSED** for maximum protection from the elements

#### **TOTAL AIR FLOW CONTROL**

Industry's first powered flip windshield



#### **POWERFLIP WINDSHIELD**

- The PowerFlip Windshield is equipped with electric cylinders that allow the rider to adjust the windshield opening at the touch of a button
- Windshield is made of hardcoated polycarbonate with a rubber seal contour and a tinted top section.
- · Allows you to quickly adapt to changing conditions by adjusting the windshield
- Can be fully opened for optimal visibility and ventilation, fully closed for maximum protection from the elements, and in between, you have an infinite number of opening possibilities depending on protection, visibility and air flow preferences.
- · Compatible with Can-Am roofs.

Maverick, Maverick MAX 715007097

#### **NEW WINDSHIELD WIPER** FOR POWERFLIP WINDSHIELD

- · An ideal way to keep your windshield clear in rain or while riding through mud and water.
- Wiper from the top allowing windshield pivoting. Includes single-speed wiper and washer-fluid dispenser.
- Winer mechanism and washer-fluid dispense perfectly concealed within the vehicle. Must be installed with the PowerFlip
- Windshield (sold separately).

Maverick, Maverick MAX 715006310





#### **GLASS WINDSHIELD** WITH WIPER & WASHER KIT

- Complete kit that includes the curved and laminated glass windshield with the single-speed wiper and washer fluid dispenser
- · Seals firmly against the cage and protects rider and passenger from the elements.
- An ideal way to keep your windshield clear in rain, or while riding through mud and water.
- Must be used with rear wind protection.

Maverick, Maverick MAX 715003283



#### **FULL WINDSHIELD**

- High-impact-resistant durable polycarbonate full windshield.
- Formed polycarbonate construction for enhanced rigidity.
- Formulated to be non-yellowing, non-crazing, non-cracking with excellent UV resistance and optical clarity
- Protects driver and passenger from the elements.
- Quick and easy tool-less installation or removal.
- Must be used with rear wind protection.

Maverick, Maverick MAX 715002907



#### **FULL WINDSHIELD - HARDCOATED**

- High-impact-resistant Quantum<sup>†</sup> hardcoated polycarbonate full windshield.
- Formed polycarbonate construction for enhanced rigidity.
- Provides excellent optical clarity
- and better abrasion resistance. Protects driver and passenger from the elements.
- Quick and easy tool-less installation or removal.
- · Must be used with rear wind protection.

Maverick, Maverick MAX

715004417

#### WINDSHIELD WIPER & WASHER KIT

- · An ideal way to keep your windshield clear in rain, or while riding through mud and water.
- Includes single-speed wiper and washer fluid dispenser.
- · Wiper mechanism and washer fluid dispenser perfectly concealed within the vehicle.

Maverick, Maverick MAXFit with Full Windshield Hardcoated (715004417) 715004762

Maverick, Maverick MAXFit with Glass Windshield (715003281) 715003282



#### HALF WINDSHIELD

- · High-impact-resistant durable polycarbonate half windshield.
- · Formed polycarbonate construction for enhanced rigidity.
- · Formulated to be non-yellowing, non-crazing, non-cracking with excellent UV resistance and optical clarity.



**CLEAR WINDSHIELD** 

- Protects driver and passenger from the elements. • Features reverse angle lip to deflect air flow.
- · Quick and easy tool-less installation or removal.

Maverick, Maverick MAX



TINTED WINDSHIELD 715004291

Some products shown may not be available or homologated in your country. Contact your BRP dealer for local details.



# REAR MIRROR & CAMERA MONITOR

- Fully waterproof rearview camera and monitor kit.
- Multiple camera feeds can be seen with the rear view camera, to see what you need.
- Unit replaces stock rearview mirror (screen is integrated in the unit's replacement rearview mirror).
- · Camera uses infrared light for night vision capabilities.

Maverick, Maverick MAX 715004905 · Black



#### SIDE MIRRORS

- Rugged cast aluminum mount with black nylon cover.
- Multi-position adjustable ball-joint mounted mirrors. • Convex optics for a wide viewing angle.
- · Spring-loaded pivots let mirrors fold back completely.
- Door mounted.
- Compatible with Upper Soft Door Panels.
- · Sold in pairs.

Maverick, Maverick MAX 715004236 - For stock quarter doors


715005315 • For aluminum doors



#### **RACING SIDE MIRRORS**

- Race-inspired design features rugged black nylon % construction with coated cast-aluminum mount.
- Dual adjustment provides optimal field of view (FOV).
- Multi-position adjustable ball-joint mounted mirrors.
- Flat optics deliver improved distance perception.
- · Spring-loaded pivots let mirrors fold back completely.
- Not compatible with Lonestar Racing Light Racks and Upper Soft Door Panels. · Sold in pairs.

Maverick, Maverick MAX 715002898



# DUNES, DESERT, MUD & TRAIL—COMFORT, PROTECTION & GREAT LOOKS WHEREVER YOU ROAM.

#### PERFECT-FIT

Choose ultimate fit and rigidity that sits firmly against the cage for complete rider protection from the elements.



#### **ALUMINUM HALF DOORS**

Perfect full door coverage in strong, lightweight aluminum includes Deluxe Door Handles.



#### **DELUXE DOOR HANDLES**

Sturdy inside-outside handles replace door pulls for even faster cockpit entry and exit.

DOORS

# EXPERT CHOICE

#### **ALUMINUM HALF DOORS**

· Lightweight half doors made of formed 5/64" (2 mm) thick aluminum.

- Textured black powder coat finish for superior scratch resistance.
- Engineered for maximum rigidity and durability.
- Designed for a perfect fit and seamless integration with the vehicle's lines.
- Contoured with a thick seal for better protection from the elements.
- Easy installation using the standard door frame.
- Include the easy-to-operate Deluxe Door Handles.
- Compatible with the Upper Soft Door Panels, the Window Nets and Upper Door Storage Bags.
- Not compatible with the Lower Door Panel Storage Bags.
- Sold in pairs.

Maverick, Maverick MAX

715004732 • Front

Maverick MAX


715004753 • Rear





#### **DELUXE DOOR HANDLES**

- Convert the standard door straps
- into easy-to-access door handles.
- Include inside and outside handles for each door.
- Greatly facilitate door opening.
- · Standard on accessory Aluminum Half Doors.
- Sold in pairs.

Maverick, Maverick MAX 715004758 • Front Maverick MAX 715004860 • Rear







#### **LOWER DOOR PANELS**


- Robust injection-molded polypropylene construction designed to match vehicle.
- Extend stock doors at bottom to protect and seal cab area.
- A great-looking add-on.
- Easy and quick installation.

  Cold in pairs
- Sold in pairs.
- Rear Lower Door Panels sold separately.

Maverick, Maverick MAX

715002903 - Front

715003751 - Rear





#### WINDOW NETS

- · Window mesh screen for added protection from wind.
- · Can be easily lowered in seconds
- Sold in pairs.

Maverick

715006693 • Front

Maverick MAX

715004694 • Front 715006700 • Rear





#### **UPPER SOFT DOOR PANELS**

- $\bullet \ We ather-resistant\ panels\ reinforced\ with\ aluminum\ frame$
- offer good protection from the elements.
- Extend stock quarter doors at the top.
- Made of heavy-duty UV-resistant solution-dyed polyester
- canvas for excellent resistance to tear and abrasion.

  Zip-down windows made of laminated polished vinyl material
- for added ventilation.

  To be combined with the Lower Door Panels to obtain
- complete door kits for your vehicle.

Not compatible with Racing Side Mirrors.

Maverick (2 doors) 715007118 Maverick MAX (4 doors) 715003753



#### **REAR WIND SCREEN**

- Full rear mesh screen reduces windshield backdraft for added cabin comfort.
- Installs quick and easily on roll cage.
- Large white Can-Am logo on black mesh.

Maverick, Maverick MAX (except X mr models) 715006701

#### High-impact-resistant polycarbonate window.Blocks windshield backdraft or dust and rain from

- entering for added cabin comfort.

   Quick and easy tool-less installation.
- Ready for MTX Audio System Rear Speakers.

Maverick, Maverick MAX (except X mr models) 715006387

#### REAR POLYCARBONATE WINDOW | SOFT REAR WINDOW

- Clear, flexible window made from transparent vinyl.
   Resists cold-cracking to -4 °F (-20 °C).
- Ideal for preventing backdraft of dust or rain in harsh environments.
- Quick tool-less installation.

Maverick, Maverick MAX (except X mr models) 715006702





# HMWPE SKID PLATES

Our Plastic Plates glide smoothly and silently over obstacles, offering great protection in rough terrain. Made of abrasion-resistant thermoformed 3/8" (10 mm) thick High Molecular Weight Polyethylene (HMWPE).




Lighter than aluminum



Superior stress crack resistance



High-impact strength



715003747

HMWPE SKID PLATES ARE STANDARD ON MAVERICK X RC MODELS.		MAVERICK 64" MODELS	MAVERICK MAX 64" MODELS	MAVERICK, MAVERICK MAX 72" MODELS (EXCEPT BASE MODELS)	MAVERICK BASE 72" MODELS	MAVERICK MAX BASE 72" MODELS			
FULL PROTECTION KIT									
HMWPE Skid Plate Protection Kit		715003713	715003747	715003718	715006767	715006769			
INDIVIDUAL HMWPE SKID PLATES									
1	HMWPE Front A-Arm and Trailing Arm Protectors	715002905	715002905	715003552	715003552	715003552			
2	HMWPE Front Skid Plate	715003933	715003933	715003933	715003933	715003933			
3	HMWPE Central Skid Plate	_	715003731	Standard on these models	_	715003731			
4	HMWPE Underbelly Plate	715004904	715004904	Standard on these models	715004904	715004904			



100% INTEGRATED Seamlessly fit the style and finish of your Maverick.

C LIGHT READY
Fully integrated light mounting plate.
Multiple light installation options.

ACCESSORIES | BUMPERS & GUARDS BUMPERS & GUARDS | ACCESSORIES



#### FRONT PRE-RUNNER BUMPER

- Made of 1.5" (3.8 cm) diameter steel tubing with a 1/8" (3 mm) aluminum plate for extra durability.
- Inside and outside anti-corrosion coating with durable powder coat finish. • Added heavy-duty protection in extreme driving conditions.
- Integrated winch mounting plate and mount points for lights.

Maverick, Maverick MAX

715002878 • Black

715003433 • Can-Am Red



#### **REAR PRE-RUNNER BUMPER**

- Extra-durable 1.5" (3.8 cm) diameter steel tubing with a 1/8" (3 mm) aluminum plate.
- Inside and outside anti-corrosion coating with durable powder coat finish.
- Protects vehicle bodywork and exhaust system.
- Rear Receiver Hitch compatible
- Required for installation of the Rear Cage Extension.

Maverick, Maverick MAX

715002880 • Black

715003436 • Can-Am Red



#### FRONT INTRUSION BAR

- · Matches vehicle styling.
- Inside and outside anti-corrosion coating with durable
- powder coat finish steel intrusion bar.
- Tube design reduces obstructed lines of sight and blind spots for better visibility. • Not compatible with windshields and Lonestar Racing Aluminum Roof.

Maverick, Maverick MAX

715002889 • Black

715003435 • Can-Am Red

- **REAR CAGE EXTENSION** • Durable 1.5" (3.8 cm) diameter steel tubing.
- Inside and outside anti-corrosion coating with durable powder coat finish.
- Allows holding a spare tire in place (wheel not included).
- Custom tie-down strap for fast tire installation or removal.
- Rear Pre-Runner Bumper required for installation
- Not compatible with LinQ Pivoting Rack, cargo boxes (except LinQ 20 Gal (73 L) Deluxe Modular Bag) and Lonestar Racing roofs.

Maverick (except X mr models), Maverick MAX

715002890 • Black

715003434 • Can-Am Red





#### **DUNE FRONT BUMPER**

- Made of 1.5" (3.8 cm) diameter aluminum tubing with a 1/8" (3 mm) aluminum plate.
- Inside and outside anti-corrosion coating with durable powder coat finish. • Provides added protection without sacrificing the agility and performance
- advantages of a lighter weight design.
- Features a more pronounced attack angle and integrated mounting points for lights.
- · Not winch compatible.

Maverick, Maverick MAX

715002961 • Black

715003432 • Can-Am Red

#### **DUNE REAR BUMPER**

- Made of 1.5" (3.8 cm) diameter aluminum tubing with a 1/8" (3 mm) aluminum plate.
- Inside and outside anti-corrosion coating with durable powder coat finish.
- Provides added protection without sacrificing the agility and performance advantages of a lighter weight design.
- Protects vehicle bodywork and exhaust system.
- Rear hitch compatible.
- Not compatible with Rear Cage Extension and Lonestar Racing Spare Tire Holder.

Maverick, Maverick MAX

715003437 • Can-Am Red 715002962 • Black







#### X RC / X MR FRONT BUMPER

- Made of 1.5" (3.8 cm) diameter steel tubing with a 1/8" (3 mm) aluminum plate.
- Inside and outside anti-corrosion coating with durable powder coat finish on steel tubing.
- Offers all the essential features required for technical driving: Low front-end
- protection, support base for winch installation and integrated tow hook.
- Standard on Maverick X rc and X mr models. • Not compatible with winches with steel cable.

Maverick, Maverick MAX

- 715004741 Sunburst Yellow
- 715004742 Octane Blue 715004789 • Can-Am Red

715004788 • Black



#### **ROCK SLIDERS**

- Made of heavy-duty 1.5" (3.8 cm) diameter steel tubing.
- Inside and outside anti-corrosion coating with durable powder coat finish.
- Protect vehicle's sides and undercarriage against large obstacles.
- · Support plate adds rigidity and style. Sold in pairs.

Maverick (except X rc)

715002963 • Black 715003438 • Can-Am Red **Maverick MAX** 

715003730 · Black 715003888 • Can-Am Red



#### X RC UHMWPE ROCK SLIDERS

- Robust 1/4" (6 mm) UHMWPE construction.
- Include lower body panels and brackets for installation.
- Protect vehicle's sides and undercarriage against large obstacles.
- · Lodge tight up against vehicle body for better clearance from obstacles.
- Slide smoothly over obstacles. · Sold in pairs.

715004730



#### **FENDER FLARES**

- Extended fender flares made from injection-molded polypropylene.
- Keep mud and debris out of vehicle.
- Designed for quick and easy intallation.
- Include front and rear extensions and mounting hardware.

Maverick, Maverick MAX

715002973



#### **LONESTAR RACING FRONT BUMPER**

- Made of 1.5" (3.8 cm) diameter steel tubing with durable powder coat finish and a 1/8" (3 mm) thick aluminum plate for added vehicle-front protection in extreme driving conditions.
- Sleek styling enhances the vehicle's race-inspired look.
- · Not winch compatible.
- Not compatible with 10" (25 cm) Baja Designs OnX6 LED Light Bar.



Maverick, Maverick MAX (not compatible with Xmr and Xrc models) 715005510 • Hyper Silver 715005509 • Black



Maverick, Maverick MAX 715004161 • Can-Am Red

#### **LONESTAR RACING REAR BUMPER**

- Made of 1.5" (3.8 cm) diameter steel tubing with durable powder coat finish.
- Provides additional vehicle-rear bodywork and exhaust system protection in extreme driving conditions.
- Sleek styling enhances the vehicle's race-inspired look.
- Compatible with Lonestar Racing Spare Tire Holder and Lonestar Racing Rear Intrusion Bar.
- · Not hitch compatible



Maverick, Maverick MAX 715005511 • Black

715005512 • Hyper Silver



Maverick, Maverick MAX 715004162 • Can-Am Red

ACCESSORIES | BUMPERS & GUARDS

S3 REAR BUMPER



#### LONESTAR RACING SPARE TIRE HOLDER

- · Made of 1.5" (3.8 cm) diameter steel tubing with durable powder coat finish.
- Adjustable height to fit Can-Am tires up to 30 in.
- Requires Lonestar Racing Rear Bumper and Lonestar Racing Rear Intrusion Bar for installation
- · Cannot hold the Pro Armor Quickshot Wheel Jack and Off-Road Screw Jack.
- · Wheel not included.
- Not compatible with the S&B Particle Separator and LinQ accessories intended for the rear of the vehicle.

Maverick, Maverick MAX (except X mr models)

715003922 • Black

715004166 • Can-Am Red 715006344 · Hyper Silver



#### **LONESTAR RACING NUMBER** PLATE HOLDER

- Includes a pair of sturdy aluminum number plates that mount on either side of the vehicle rear.
- Not compatible with LinQ Pivoting Rack. Numbered decals are available through SCS Unlimited.
- Styling enhances the vehicle's race-inspired look while adding a personal touch.
- · Black background.

Maverick, Maverick MAX 715003943

#### **LONESTAR RACING FRONT INTRUSION BAR**

- Made of 1.5" (3.8 cm) diameter steel tubing with durable powder coat finish.
- Enhances the racing look of the vehicle.
- Compatible with Lonestar Racing Aluminum Roof only.
- · Not compatible with windshields.

Maverick, Maverick MAX 715003916 · Black

715004163 • Can-Am Red 715006342 • Hyper Silver



#### LONESTAR RACING REAR INTRUSION BAR

- Made of 1.5" (3.8 cm) diameter steel tubing with durable powder coat finish.
- Sleek styling enhances the vehicle's race-inspired look.
- Required for the installation of the Lonestar Racing Spare Tire Holder.
- Not compatible with LinQ mounted accessories and Pre-Filter in the cargo bed.

Maverick (except X mr models), Maverick MAX

715003918 - Black

715004164 · Can-Am Red 715006343 · Hyper Silver



#### **LONESTAR RACING ROCK SLIDERS**

- Made of 1.5" (3.8 cm) diameter steel tubing with durable powder coat finish filled with 1/8" (3 mm) aluminum plate.
- Protects vehicle sides from large obstacles. · Sleek styling enhances the vehicle's
- race-inspired look.
- "Lonestar Racing for Can-Am" branded.
- · Sold in pairs.
- Not compatible with X rc models



Maverick 715005514 • Hyper Silver 715005513 Black



715005518 • Hyper Silver 715005517 Black

Maverick MAX




Maverick 715004165 Can-Am Red



Maverick MAX 715004343 Can-Am Red







#### **S3 FRONT BUMPER**

- Made of 1.5" (3.8 cm) diameter steel tubing with a 1/8" (3 mm) aluminum plate for extra durability.
- · Inside and outside anti-corrosion coating with durable powder coat finish.
- · Added heavy-duty protection in extreme driving conditions.
- Integrated winch support plate and mount points for lights. · Hook support anchor allows you to keep the winch hook
- within easy reach when riding in deep mud.
- "S3 for Can-Am" branded.
- · Winch Not Included. Maverick, Maverick MAX
- 715004867 Black
- 715005231 Can-Am Red

#### **REAR WINCH HARNESS**

(Not illustrated)

715006007

#### **S3 REAR BUMPER**

- Made of extra-durable 1.5" (3.8 cm) diameter steel tubing. • Inside and outside anti-corrosion coating with durable powder coat finish.
- Added heavy-duty protection in extreme driving conditions protects vehicle bodywork and exhaust system
- Permits installation of a winch at a higher location to improve
- accessibility in muddy conditions. • "S3 for Can-Am" branded.
- Engineered to sustain heavy winch loads without damaging the vehicle's frame.
- Compatible with Can-Am HD and WARN VRX winches rear winch harness
- 715006007 is required to install a winch on the bumper.
- Includes a robust recovery hook to facilitate vehicle recovery.
- · Winch not included.
- Not EC compliant.

#### Maverick, Maverick MAX 715004869 • Black

715005232 • Can-Am Red

#### **S3 REAR PULL PLATE**

- · Offers a solid place to hook onto in
- case towing is needed.
- · Allows you to attach most straps and hooks.
- "S3 for Can-Am" branded. Maverick, Maverick MAX

715004870 • Black

715005233 • Can-Am Red





#### **4-POINT HARNESS**

- Exclusive controlled decelerator absorbs energy in case of an accident.
- Designed to offer maximum
- riding comfort.

   Easy one-click latch and release.
- Patent pending.
- Not EC compliant
- Maverick, Maverick MAX

715003767 • Passenger 715003766 • Driver



#### RETRACTABLE 4-POINT HARNESS

- Convenient harness allows you to move freely in your seat, and at the same time, fully benefit from the extra support given by the 4-point attachments.
- Makes it easier to buckle up and requires fewer adjustments when switching passenger or driver.
- Retractor Protector (707900653) is required for installation on front seats of MAX models.
- Compatible with rear passenger seats on MAX models.
- Standard on Maverick X rs 2018 and up and X rc Turbo R models.

Maverick, Maverick MAX 715005022 • Passenger 715005021 • Driver



#### SEAT BELT SHOULDER PADS

- Provide additional riding comfort by preventing seat belt
- from rubbing on neck and shoulder.
   Fit with standard 3-point seat belts and
- Retractable 4-Point Harness.
- · Easy Velcro installation.
- Can-Am branded.
- · Sold in pairs for driver and passenger.

Maverick, Maverick MAX 715002894



#### RETRACTOR PROTECTOR

(Not illustrated)

- Protective pad required for the installation of the Retractable
- 4-Point Harness on front seat of MAX models.
- Protects the passengers from the retractor mechanism.
  Sold individually.

Maverick MAX

#### 707900653

# EASY ON, EASY OFF CARGO



A BRP EXCLUSIVE, LinQ IS A TOOL-LESS SYSTEM FOR NEAR-INSTANT INSTALLATION OF ACCESSORIES. QUICKLY, EASILY INSTALL AND REMOVE LinQ ACCESSORIES TO TRANSFORM YOUR MACHINE TO FIT THE MOMENT.



Twist LinQ fasteners

#### LinQ ACCESSORY TYPES

• LinQ with 16" base accessories are mounted with LinQ anchors 16 inches apart, ideal for Can-Am ATVs and SSVs, Sea-Doo watercraft, and Ski-Doo snowmobiles.

YOUR ADVENTURE, OUTFITTED
LinQ trunk boxes, rack extensions, bags, baskets,
and gear grips attach quickly for your next expedition.

 LinQ with 36" base accessories are most commonly used as part of LinQ racks for Can-Am Off-Road vehicles.





- ·No tools needed: Quickly install and remove accessories by hand
- · Equip your Can-Am for specialized tasks in no time
- ·Sturdy mounting system that holds up to the roughest terrain

#### MOUNTING LOCATION AND REQUIREMENTS

#### Standard LinQ Rack







LinQ Cargo

Base Kit

860201806

Adventure Roof Rack

- LinQ anchors mounted 16 inches apart, center to center. LinQ ACCESSORIES WITH 16" BASE p. 33
  - Lower loading capacity than the LinQ with 36" base accessories.
  - Can be used on Can-Am ATV and SSV vehicles, Sea-Doo watercraft

and Ski-Doo snowmobiles.



LinQ 4.2 GAL (16 L) COOLER 295100698



LinQ TOOL BOX



LinQ SR 5.5 GAL (21 L) BAG



LinQ 4.5 GAL (17 L) SPORT BAG 860201678



LinQ DRY BAG 715002875

LinQ Anchor Adapter Kit 715004960

**LinQ Anchor** Adapter Kit 715004960

No further requirements



- Mount on LinQ racks often used by Can-Am ORV vehicles.
- Higher loading capacity than the LinQ with 16" base accessories.
- Usage is limited to Can-Am ORV vehicles.

No further requirements

No further requirements \*Not compatible if the LinQ

Pivoting Rack is installed.

No further

requirements

No further

requirements

No further requirements



LinQ 12 GAL (45 L) CARGO BOX



LinQ 23 GAL (86 L) TRUNK BOX 715004923



LinQ 32 GAL (124 L) TRUNK BOX



LinQ 11.5 GAL (43 L) AUDIO CARGO BOX



LinQ 8 GAL (30 L) COOLER BOX



715004778 • Black / 715004698 • Grey



LinQ PREMIUM STORAGE BAG BY OGIO 715002923 • Black / 715003248 • Camo



LinQ HEAVY-DUTY BASKET 715001215



**LinQ LOW PROFILE BASKET** 715004282

715003018

LinQ RACKS & HOLDERS p. 36



LinQ TOOL HOLDER

No further requirements

No further requirements

No further

requirements

Side wall installation: LinQ Adapters 715003058

Not compatible



LinQ Accessories with 16" base



#### LinQ 4.2 GAL (16 L) COOLER

- Rotomolded construction for exceptional rigidity and durability.
- · Premium-quality foam insulation for optimal ice retention
- Marinized for salt water purposes.
- See table for installation location and requirements.

Maverick, Maverick MAX 295100698



#### LinQ TOOL BOX

- High precision injected HDPE construction provides rigidity and durability.
- 5 Gal (19 L) maximum capacity.
- · Weather-resistant, sealed and lockable cover.
- · LinQ Cargo Base Kit (860201806) included. Marinized for salt water purposes.
- See table for installation location and requirements.

Maverick, Maverick MAX 715004301



#### **LinQ SR 5.5 GAL (21 L) BAG**

- · Semi-rigid expandable bag.
- 5.5 Gal (21L) capacity.
- LinQ Cargo Base Kit included (860201806) included.
- See table for installation location and requirements.

Maverick, Maverick MAX 860201740

#### LinQ 4.5 GAL (17 L) SPORT BAG

- 4.5 Gal (17 L) capacity.
- · Rigid bottom, semi-rigid top.
- See table for installation
- location and requirements.

Maverick, Maverick MAX 860201678



#### LinO DRY BAG

- Fully waterproof roll-top dry bag will securely store and confine your equipment.
- · LinQ mounted using heavy-duty rigid plastic base.
- · High capacity storage solution (40 L).
- Bottom foam liner for additional equipment protection.
- Integrated handle for easy transportation on/off the vehicle. LinQ Cargo Base Kit included (860201806) included.
- · Marinized for salt water purposes.
- See table for installation location and requirements.

Maverick, Maverick MAX 715002875





ACCESSORIES | LinQ: EASY ON, EASY OFF CARGO



LinQ Accessories with 36" base

#### LinQ 12 GAL (45 L) CARGO BOX

- · LinQ mounted for easy on, easy off installation. Holds cargo safely and securely while riding.
- See table for installation location
- and requirements.

Maverick, Maverick MAX 715003879



#### LinQ 23 GAL (86 L) TRUNK BOX

- · LinQ mounted for easy on, easy off installation.
- · Lockable and weather-resistant.
- · Holds cargo safely and securely while riding See table for installation location.
- and requirements Maverick (except X mr models),

**Maverick MAX** 715004923



#### LinQ 32 GAL (124 L) TRUNK BOX

- Equipped with the LinQ System, the rear trunk box plugs in and out in seconds. -32 Gal (124 L) load capacity with unobstructed space to maximize storage room and access to the trunk's interior.
- · Made of injection-molded polyethylene, double walled in critical areas.
- The fully sealed lid protects your belongings from dust, moisture and the elements.
- Trunk Box Panels available in many colors to match your vehicle (sold separately).
- See table for installation location and requirements.

Maverick (except X mr models), Maverick MAX 715001748 • No rear tail light



#### LinQ 32 GAL (124 L) **TRUNK BOX PANELS**

· Color panels to match the LinQ 32 Gal (124 L) to your vehicle.

#### Maverick, Maverick MAX

- European Version (EC compliant) No rear tail light
- 715001397 Black
- 715001398 Yellow 715002482 • Light Grey
- 715002483 · White
- 715006121 Can-Am Red
- 715006122 Manta Green
- 715006123 Orange Crush
- 715006124 Viper Red





#### LinQ 8 GAL (30 L) COOLER BOX

- Installs without vehicle modification.
- · LinQ mounted for easy on, easy off installation.
- Rotomolded construction provides exceptional rigidity and durability.
- · Premium-quality foam insulation for optimal ice retention.
- · Weather-resistant.
- Integrated, fully removable compartment protects food.
- Robust rubber latches keep the cover tightly closed.
- · Convenient drain plug.
- See table for installation location and requirements.
- Maverick, Maverick MAX
- 715004698 Grey
- 715004778 Black



#### LinQ HEAVY-DUTY BASKET

- Made of high-strength, low-alloy steel.
- · LinQ mount for easy on, easy off installation.
- See table for installation location and requirements.

Maverick, Maverick MAX



#### LinQ LOW PROFILE BASKET

- · Low profile, open basket increases cargo space.
- Perfect for easy access to tools, rope, winch and plow accessories. Multiple bungee cord and tie-down anchor points.
- Made of impact-resistant injected polypropylene.
- See table for installation location and requirements.

Maverick, Maverick MAX



#### Lino 11.5 GAL (43 L) AUDIO CARGO BOX

- An affordable and guick solution for adding music and storage to your next ride.
- The rear installation does not use any cab space and allows for easy listening at an average speed.
- Mounts on/off easily to hold/carry cargo safely and securely.
- · Backlit control panel perfect for night riding.
- · Water-resistant speakers.
- The Bluetooth enabled receiver and 6.5" (16.5 cm) speakers are smartly concealed and integrated in the cover.
- · Automatic shut-off function protects your battery by turning the system off after 10 minutes of inactivity.
- See table for installation location and requirements.

Maverick, Maverick MAX



#### Lino Premium Storage Bag by Ogio

- Tool-less installation and removal thanks to the LinQ System. • 17.2 Gal (65 L) capacity semi-rigid cargo bag ideal for carrying anything you need on your vehicle.
- Buckle and elastic closure with a rubber seal that protects dust from entering the bag.
- 3-section lid for partial or full access to your bag.
- Inside separators for optimal bag organization.
- See table for installation location and requirements.

Maverick, Maverick MAX

715002923 • Black

315003248 • Mossy Oak Break-Up Country Camo





Inside separators for optimal bag organization

LinQ Racks & Holders

#### LinQ TOOL HOLDER

- · Ultra-versatile tool holder.
- Convenient swivel-latch allows tools to be stored in any orientation
- · Sold in pairs.
- · See table for installation

location and requirements.

Maverick, Maverick MAX 715003059





#### LinQ ANCHOR ADAPTER KIT

- Allows the installation of 16" LinQ accessories.
- Tool-less installation and removal.

Maverick, Maverick MAX 715004960



#### LinQ CARGO BASE KIT

- Unique mounting fastener usable
- on any LinQ System accessory.
- Included: 2 LinQ Cargo bases and hardware.

Maverick MAX 860201806



#### **TUBE LinQ ADAPTER**

- · Cage mounted LinQ receiver.
- Included in the LinQ Pivoting Rack assembly.
- Allows the installation of single
- LinQ mounted accessory.
- · Diameter: 1.85" (47 mm).

Maverick, Maverick MAX 715004292



#### LinQ REPLACEMENT PART

(Not illustrated)

- Unique mounting fastener usable
- on any LinQ System accessory. Tool-less installation and removal.
- · Sold in pairs.

Maverick, Maverick MAX 715001707

#### LinQ ADAPTER

(Not illustrated)

- · Allows the installation of the LinQ Tool Holder (715003059) on the Adventure Roof Rack.
- Sold in pack of 4.

Maverick MAX 715003058

#### **CARGO BOX NET**

(Not illustrated)

• Solid net designed to secure and assure a compact confinement of your Adventure Roof Rack cargo.

Maverick, Maverick MAX 715001371



#### **SPARE TIRE RATCHET TIE-DOWNS**

- 3-way ratcheting tie-down strap with loop ends.
- Designed to securely hold spare tires on accessories equipped with integrated spare tire attachment points.
- Adjustable to accommodate
- most common UTV tire sizes.
- · Ratchet and junction ring made of durable zinc-plated steel.
- Required for spare tire attachment on Adventure Roof Rack.

Maverick (except X mr models), Maverick MAX 280000606





#### ADVENTURE ROOF RACK

- Ideal cargo solution for packing everything you need to live your Off-Road experience fully and completely.
- Built with light weight 1.25" (3.2 cm) diameter steel tubing.
- · Integrated mounting points for lights can hold up to eight pod-type LED lights (six front and two back) or a 40" (102 cm) LED bar (front).
- Features anchor points for spare-tire attachment.
- · LinQ anchor on both side.
- · Spare Tire Tie-Downs sold separately.
- · Add the Cargo Box Net to secure and confine your cargo in the rack

NEW Maverick

Loads up to 40 lb (18 kg)

715006225

Maverick MAX Loads up to 75 lb (34 kg) 715003868



#### LinQ PIVOTING RACK

- · LinQ latched rack allows for extra LinQ mounted accessories or for carrying a spare tire (tire not included).
- Includes custom tie-down strap for fast spare tire installation or removal.
- · Gas-cylinder pivot action, locks in the raised position.
- Trunk Boxes over 20 Gal (74 L) do not fit on the vehicle when the rack is installed.
- and Lonestar Racing Aluminum Roofs.

715002881 · Black

715003439 · Can-Am Red






#### **SHOULDER STORAGE BAG**

• Bag attaches in unused space between the seats to increase your vehicle's cargo capacity. • Installs between the rear seats only on MAX models.

Maverick (except X mr models), Maverick MAX (rear only) 715004277



#### FRONT SHOULDER STORAGE BAG

- Opens on each side so that both front and rear passengers can access the bag's content.
- · Installs between the driver and passenger seats on MAX models.

Maverick MAX 715004888



#### **OVERHEAD STORAGE BAG**

- · Weather-resistant bag, holds your gear safely and securely while riding.
- Makes smart use of your overhead space to increase your vehicle's cargo capacity by 2.6 Gal (10 L). · Semi-rigid construction renders it flexible enough
- Touchscreen-compatible clear front pocket allows for easy access to your smartphone.
- Not compatible with the Bimini Roof.

Maverick, Maverick MAX

to fit odd-shaped loads.

715004275



#### **UPPER DOOR STORAGE BAGS**

- Weather-resistant, they'll hold your gear safely and securely while riding.
- Bags attach on stock quarter doors to increase your vehicle's cargo space. • Each bag is designed as a 1.3 Gal (5 L) capacity pocket
- also equipped with inner netting compartments. Semi-rigid construction renders them flexible enough
- to fit odd-shaped loads.
- Sold in pairs.

Maverick, Maverick MAX

715004276



#### LOWER DOOR PANEL STORAGE BAGS

- · Weather-resistant, they'll hold your gear safely and securely while riding.
- Bags attach on Lower Door Panels to increase your vehicle's cargo space.
- Each bag is designed as a 1.6 Gal (6 L) capacity pocket also equipped with inner netting compartments. Semi-rigid construction renders them flexible
- enough to fit odd-shaped loads.
- · Sold in pairs.
- Not compatible with aluminum doors and Off-Road Screw Jack.
- · Lower add-on doors required for installation.

Maverick, Maverick MAX 715004355



#### SOFT STORAGE BAG

(Not illustrated)

- 11.8 Gal (45 L) capacity soft cargo bag designed with vehicle's rear in mind to maximize potential storage
- 3 sections.

· Weatherproof.

Maverick, Maverick MAX 715003759 • Black

#### STORAGE 2.6 GAL (10 L) BAG

· Roll-top dry bag for fully protecting your cargo from the elements.

Maverick, Maverick MAX 269502121



# LIGHTS



#### 40" (102 CM) BAJA DESIGNS **ONX6 ARC LED LIGHT BAR**

- 252W light bar producing 29,000 lumens. Equipped with 24 Cree XM-L2 LEDs.
- · Driving/Combo light pattern for smooth blend of light for both near field applications and distance.
- Designed for installation onto Light Support Bar equipped roofs.
- Requires Light Power Cable and Light Support Bar.

Maverick, Maverick MAX 710006818



# 29,000 LUMENS 40" (102 cm) OnX6 Arc Combo 100 200 300 400 500 600 700 800 900 m

ACCESSORIES | LIGHTS LIGHTS | ACCESSORIES

#### 10" (25 CM) BAJA DESIGNS ONX6 LED LIGHT BAR

- 108W light bar producing 12,460 lumens.
- Equipped with 6 Cree XM-L2 LEDs.
- Driving/Combo light pattern for smooth blend of light
- for both near field applications and distance.
- Dual intensity (high/low) settings.
- Designed for installation onto Pre-Runner and Dune bumpers and/or Light Support Bar equipped roofs
- Requires Light Power Cable.

Maverick, Maverick MAX 710006819



#### **BAJA DESIGNS XL SPORT LED LIGHTS**

- 26W per spot producing 3.150 lumens.
- Equipped with 4 Cree XP-G2 LEDs per spot.
- High Speed Spot features a longer and narrower beam
- focus for illumination farther down.
- Designed for installation onto Pre-Runner and Dune bumpers and/or Light Support Bar equipped roofs.
- Require Light Power Cable.
- · Sold in pairs.
- Dimensions: 4.5" x 4.5" (11.4 cm x 11.4 cm).

Maverick, Maverick MAX

710006821



#### **BAJA DESIGNS SOUADRON SPORT LED LIGHTS**

- •26W per spot producing 3,150 lumens.
- Equipped with 4 Cree XP-G2 LEDs per spot.
- Designed for installation onto Pre-Runner and Dune bumpers and/or Light Support Bar equipped roofs.
- Wide cornering light pattern designed specifically for cornering, dust and/or fog conditions.
- Require Light Power Cable.
- Sold in pairs
- Dimensions: 3" x 3" (7.6 cm x 7.6 cm).

Maverick, Maverick MAX 710006820



#### **BAJA DESIGNS XL80 LED LIGHTS**

- •80W per spot producing 9.500 lumens.
- Equipped with 4 Cree XHP50 LEDs per spot
- Dual intensity (high/low) settings.
- Driving/Combo light pattern for smooth blend of light for both near field applications and distance.
- Designed for installation onto Pre-Runner and Dune
- bumpers and/or Light Support Bar equipped roofs.
- Require Light Power Cable.
- · Sold in pairs.
- Dimensions: 4.5" x 4.5 " (11.4 cm x 11.4 cm).

Maverick, Maverick MAX

710005041




#### **12,460 LUMENS**

# 10" (25 cm) OnX6 Combo 100 200 300 400 500 600 700 800 900 m


#### **3.150 LUMENS**

#### **XL Sport Spot** 500 200 300 400 600 m 100

#### **3.150 LUMENS**



#### **9,500 LUMENS**



#### LONESTAR RACING 40" (102 CM) LED LIGHT BAR RACK

- Designed for use with 40" (102 cm) Baja Designs OnX6 Arc LED Light Bar.
- Enhances the vehicle's race-inspired look.
- Compatible with Aluminum Roof, Lonestar Racing Aluminum Roof and Sport Roof.
- Not compatible with Racing Side Mirrors and PowerFlip Windshield.
- Lights sold separately

Maverick, Maverick MAX

715003920

#### **LONESTAR RACING LIGHT RACK**

- Designed for use with Baja Designs XL80 LED Light and Baja Designs XL Sport LED Light.
- · Accommodates up to two pairs of XL Lights.
- Not compatible with Racing Side Mirrors and PowerFlip Windshield.
- Compatible with Lonestar Racing Aluminum Roof, Aluminum Roof and Sport Roof.

LONESTAR RACING LIGHT RACK

LOW-PROFILE LIGHT

LONESTAR RACING.

MOUNT SOLUTION FROM

· Lights sold separately.

Maverick, Maverick MAX

715003948



#### **CHASE LIGHTS**

- Designed by Can-Am to make you visible to vehicles riding behind you, especially in dusty or harsh conditions.
- Feature in-dash switches to activate one of the two modes and to choose among 11 different high-visibility colored light patterns (blue, red and yellow).
- Trail Mode: Serves as a tail light and as a brake light.
- Race Mode: Displays light patterns and serves as a brake light (brake light function can be deactivated for racing applications).
- · Modular to allow installation with rear roll cage mounted accessories.
- · Plug-and-play installation.

Maverick, Maverick MAX 715002887



#### **LIGHT SUPPORT BAR**

- · Sleekly styled rugged aluminum construction.
- Accommodates light bars and spotlights with or without any roof and windshield combination.
- Full vehicle width to allow the installation of any large LED light bar.
- Required for light installation on vehicle's roof.
- Not compatible with Lonestar Racing Aluminum Roof.
- · Lights sold separately

Maverick, Maverick MAX

715003529



#### MOUNTING KIT FOR 39" (99 CM) LED LIGHT BAR

(Not illustrated)

- Required for installation of the 39" (99 cm) Double Stacked LED Light Bar.
- Includes wiring and support bracket.
- · Light Support Bar required for installation

Maverick, Maverick MAX

715005822

#### **LIGHT POWER CABLE**

- Required for installation of 10" (25 cm), 15" (38 cm) and Double Stacked LED Light Bars and 4" (10 cm) Round LED Lights.
- · For bumper and roof mounting locations

Maverick, Maverick MAX

715003417

BUILD YOUR LIGHTING SYSTEM. Refer to page 44.

ACCESSORIES | LIGHTS LIGHTS | ACCESSORIES

#### 39" (99 CM) DOUBLE STACKED LED LIGHT BAR (270 WATTS)

- Equipped with 54 5W Cree LEDs.
- 24,300 lumens.
- •See table for mounting location and installation.

#### Maverick, Maverick MAX

715004007



#### 15" (38 CM) DOUBLE STACKED LED LIGHT BAR (90 WATTS)

- Equipped with 18 5W Cree LEDs.
- •8,400 lumens.
- · Rugged and waterproof.
- · See table for installation location.

#### Maverick, Maverick MAX 715002934



#### 10" (25 CM) DOUBLE STACKED **LED LIGHT BAR (60 WATTS)**

- Equipped with 12 5W Cree LEDs.
- 5,400 lumens.
- Rugged and waterproof.
- Packs a big punch for its size. · See table for installation location
- Maverick, Maverick MAX



#### 4" (10 CM) ROUND LED LIGHTS [2 X 25 WATTS]

- 25W LED spotlights
- 1,800 lumens.
- · Rugged and waterproof.
- Includes basic wiring and switch. · Can-Am branded grill.
- Sold in pairs. · Not EC compliant.
- See table for installation location.


Maverick, Maverick MAX

715002935




#### **24,300 LUMENS**

Lights up to more than 2900 ft (900 m) in front of the vehicle and around 115 ft (35 m) wide on each side.




#### **8,400 LUMENS**

Lights up to more than 1900 ft (580 m) in front of the vehicle and around 65 ft (20 m) wide on each side.




#### **5,400 LUMENS**

Lights up to more than 1500 ft (460 m) in front of the vehicle and around 65 ft (20 m) wide on each side.



#### **1,800 LUMENS**



#### 3.5" (9 CM) LED LIGHTS (2 X 14W)

- 14W LED lights producing 1,260 lumens each.
- Equipped with 6 high power LEDs in a heavy-duty die cast aluminum housing.
- Features 2 attachment points if one attachment point fails due to a collision. rotate to the next channel point and re-mount the light.
- Sold in pairs.
- CE certified.

Maverick, Maverick MAX

#### **LED DRIVING LIGHTS**

• Spot lens for a narrow and long light beam spread, ideal when driving at higher speeds.

715003666

#### **LED FLOOD LIGHTS**

• Flood lens for a wide light beam spread, ideal for working applications like plowing or for cornering, dusty or foggy riding conditions.

715003665



#### **CAN-AM LED SIGNATURE LIGHTS**

- Add style with a more aggressive look. • Use bright and energy efficient LEDs.
- Do not give additional lighting for driving.

Maverick, Maverick MAX


715003673



**LED Flood Lights** 

**1,260 LUMENS** 

**LED Driving Lights** 



15 30 45 60 75 **90** 105m

FOCUSED & POWERFUL LED

**DRIVING AND FLOOD LIGHTS** 

FOR TOTAL CONFIDENCE

AT ANY TIME.


#### **DOME LIGHT**

- LED array integrates perfectly with vehicle. · Wiring included.
- Can be installed on cage or roof, with or without roof liner.
- Maverick, Maverick MAX 715002455



BUILD YOUR LIGHTING SYSTEM. Refer to page 44

#### BUILD YOUR LIGHTING SYSTEM. Refer to page 44



\*All lights are intended for Off-Road use only.

#### **BAJA DESIGNS LIGHT POWER CABLE**

(Not illustrated) Required for installation of Baja Designs LED lights onto roof or bumper.

Maverick, Maverick MAX

10" (25 cm) Baja Designs OnX6 LED Bars 715002885

Baja Designs XL Sport LED Lights & Baja **Designs Squadron Sport** LED Lights

Baja Designs XL80 LED 715003729

715002884

# AUDIO & COMMUNICATION SYSTEMS

YOUR RIDE, YOUR TRAIL, YOUR TUNES: PUMP UP THE VOLUME WHEREVER YOU MAY ROAM WITH THESE RUGGEDLY ENGINEERED AUDIO ACCESSORIES!





#### **AUDIO ROOF**

Part punchy stereo, part roof—upgrade your Maverick instantly with a single plug.



#### **ELECTRONIC DEVICE HOLDER**

Adjustable, secure mount to take your smartphone, tablet, or electronic device along for the ride!





- Full roof with sleek, built-in audio.
- · Fully sealed and waterproof.
- · Easy to install: One wire connects the roof to the vehicle's electronics
- One 400 RMS and 800 Peak Watt amplifier, and one Head Unit supplied by Rockford Fosgate Audio.
- Multi-coloured RGB LED

and Pandora connectivity.

- accent lighting around each speaker. • 2.7" Colour Display with Bluetooth
- Signal Sensor device (715007706)
- is required for Audio Roof (715004900). Not compatible with Upper Soft Doors.

Maverick

Four 8" speakers 715004900

Six 8" speakers

**NEW Maverick MAX** 715006709



#### **CAN-AM SUBWOOFER**

- Powerful Rockford Fosgate Underseat 10" Subwoofer speaker box.
- Easy plug-and-play connections to Audio Roof system (wiring included).
- · Sturdy construction tough enough to withstand harsh enviro and sealed against moisture and dirt.
- Requires 1 Amplifer kit (715007227) for 2 subwoofers.
- · Fits two per vehicle: under driver or passenger seat.
- For installation with Can-Am Audio roof 2up,
- requires the Signal Sensor (715007706).

Maverick, Maverick MAX

715004956



#### **CAN-AM AMPLIFIER KIT**

- A powerful 400 W amplifier to feed up to
- two Underseat Subwoofers.
- Easy plug-and-play connections to Audio Roof system and subwoofer
- Installation plate and wiring included.
- Signal device (715007706) is required for Audio Roof (715004900).

Maverick, Maverick MAX 715007227



#### MTX CENTRAL SPEAKERS

- Top mounted central speaker case holding two 6.5" (16.5 cm) / 100W speakers.
- Designed to be Can-Am-tough in the most demanding riding conditions.
- Perfect add-on to the Complete MTX Audio System for a 7-speaker system or as a stand- alone system by plugging the AUX input jack directly into your music device.
- · Not compatible with LoneStar roofs.

Maverick MAX 715004748



#### **COMPLETE MTX AUDIO SYSTEM**

- $\bullet$  Bluetooth  $5^{\dagger}$  equipped 400W RMS / 800W peak audio system by MTX.
- Designed to be Can-Am-tough in the most demanding riding conditions.
- Includes front-dashboard and rear-roll-cage mounted stereo speakers and head unit with an integrated 6.5" (16.5 cm) subwoofer.
- Add the Electronic Device Holder to securely hold your Bluetooth device ready to play your favorite tunes.

Maverick, Maverick MAX

715002873

#### **RUGGED RADIOS CAR-TO-CAR SYSTEM**

- Perfect for communicating with friends and family on group rides.
- Push-to-talk button conveniently mounted on the steering wheel.
- Includes radio mounting bracket, helmet speaker, mic kit and base charger.
- May be synched with the Rugged Radios Intercom System (715002891).
- 2-4 mile range.

#### This kit includes:

- RH-5R Rugged Radios 5-Watt Dual
- Band Handheld Radio • Helmet Speaker/Mic Kit
- Push-to-talk buttons
- Mounting bracket · Base station charger
- Maverick, Maverick MAX 715003440





#### **ELECTRONIC DEVICE HOLDER**

- A great in-ride entertainment system platform
- · Robust injected-polypropylene construction allows for right fit and easy installation.
- · Adjustable unit safely holds most tablets and smartphones measuring between 5.1" (13 cm) and 10" (25.4 cm) (with protective case).
- Combines seamlessly with Complete MTX Audio System and Rugged Radios Intercom System
- · Allows the installation of Garmin Montana 680T GPS. Integrated storage (1 Gal [3.8 L] capacity) with access
- to the dash 12V outlet for device charging.

Maverick, Maverick MAX 715002874



Integrated storage with access to the 12V outlet for device charging

#### RUGGED RADIOS INTERCOM SYSTEM

- Specifically designed to facilitate clear in-vehicle communication between driver and passenger(s).
- Expandable to 4 people.
- Includes music port for enjoying your favorite tunes. · Seamless integration with in-dash switch panel.
- May be synched with the Rugged Radios Car-To-Car Sys (715003440).

Maverick, Maverick MAX 715002891



#### RUGGED RADIOS HELMET HEADSET KIT **FOR REAR PASSENGERS**

• Additional 12' (3.7 m) cables and Helmet Speaker/Mic Kits to upgrade your 2-person intercom system into a 4-person system.

With Rugged Radios Intercom System



# ELECTRICAL & ELECTRONIC

#### **AUXILIARY BATTERY INSTALLATION KIT**

#### (Not illustrated)

- · Allows you to add a second 18Ah battery for a dual battery setup necessary to power auxiliary electrical components such as sound systems or winches.
- Equipped with an IP67-rated waterproof electronic module that will prevent your auxiliary electrical components from draining your starting battery.
- · Kit includes an additional battery junction block, all necessary wiring and the battery holder. · Both batteries are perfectly integrated, in stock
- location, behind the passenger seat. Additional battery (410301203), plus battery hardware (250000282) sold separately.

Maverick, Maverick MAX 715006315

#### CTEK BRP 5.0 BATTERY CHARGER · CTEK, the manufacturer of the smartest battery chargers in the world, has produced a BRP specific charger for

- all BRP products. CTEK Charger is built to meet
- the demanding arctic conditions.
- Ask your dealer for more information.

860200997



#### LIGHTED WHIP FLAG

- A must for riding the dunes.
- 5W Cree LED.
- •5 colored lenses to allow personalization.
- Glow-through whip, quickly removable and replaceable pole.
- Increases vehicle's visibility.
- Meets most dune-area requirements.
- Die cast aluminum base, acetal hand nut.
- Includes mounting brackets and wiring.
- •4' (1.2 m) flag mounts on top of the roll cage.
- Can be installed on both sides of a vehicle.

Maverick, Maverick MAX 715002886

#### **HEATED SEAT**

- 25W seat heater delivers chill-free riding comfort.
- · Hi/Low temperature settings allow you to control the desired degree of warmth.
- This kit includes one carbon fiber seat heater, foam sheet and in-dash switch. • Installs directly in the original seat cushion.
- Heated Accessories Wiring Harness (710005757) is required for front seats installation.
- Harness (715006004) is required for rear-seat installation.

Maverick, Maverick MAX

715006112

#### **USB POWER OUTLET KIT**

- Recharges your electronic devices while riding\* (smartphone, MP3, heating gear, etc.).
- Dual port USB connectors. \*The power outlet is not
- capable of recharging all device types while riding.

Maverick, Maverick MAX 219400510



#### **HEATED VISOR OUTLET**

- Strategically positioned on vehicle to maintain your agility.
- Optional visor outlet that delivers fog-free riding.
- Quick and easy installation.
- · Sold individually.
- · Heated Visor not included.

Maverick, Maverick MAX

715001246




#### **HEATED ACCESSORIES WIRING HARNESS**

(Not illustrated)

 Electric harness required to hook up and operate front heated seats, heated steering wheel and grab bar.

Maverick, Maverick MAX

710005757





**WIRELESS REMOTE CONTROL** 

• The system is quick and easy to install, thanks to

a wiring harness with an integrated antenna and

anywhere within a 50' (15.2 m) radius, increasing

all necessary mounting hardware.

· All components are weatherproof.

your recovery options.

With Warn winch

715002542

Allows you to operate your winch from



#### WARN<sup>†</sup> VRX

- Extreme IP68-rated waterproof sealing keeps the elements out.
- · Durable all-metal construction.
- Black powder-coated finish and stainless steel fasteners for corrosion resistance.
- Robust clutch design based on 70+ years of WARN 4WD hub lock know-how.
- · Load-holding brake for great control.
- Smooth and reliable all-metal three-stage planetary gear train.
- Dash-mounted rocker control and corded remote.
- Limited lifetime warranty (mechanical), 3-year warranty (electrical).
- Pulling strength capability of 4.500 lb (2.041 kg).
- Winch Electrical Harness (715003585) and winch compatible front bumper are required for installation.

#### **WARN VRX 45 WINCH**

- $\bullet$  50 ft. of 1/4" (15 m of 6.3 mm) wire steel cable.
- Roller fairlead
- Winch Electrical Harness (715003585) and a Front Pre-Runner Bumper or X mr/X rc Front Bumper are required for installation

Maverick, Maverick MAX 715006110



#### **WARN VRX 45-S WINCH**

- •50 ft. of 1/4" (15 m of 6.3 mm) synthetic rope.

Maverick, Maverick MAX 715006111



#### CAN-AM HD

- · Ergonomic clutch handle.
- · Rugged all-steel gears and bushings for more torque and durability.
- · Automatic 100% load-holding brake.
- · Sealed solenoid for all-weather protection.
- Weather sealed corded remote and dash mounted switch.
- Winch Electrical Harness (715003585) and winch compatible front bumper are required for installation.

#### **CAN-AM HD 4500**

- · Pulling strength capability of 4,500 lb (2,041 kg).
- 43' of 15/64" (13.1 m of 6.3 mm) wire steel cable
- · Heavy-duty 4-way roller fairlead. Winch Electrical Harness

(715003585) and a Front Pre-Runner Bumper or X mr/X rc Front Bumper are required for installation.

Maverick, Maverick MAX 715006416



#### **CAN-AM HD 4500-S**

- Pulling strength capability of 4,500 lb (2,041kg).
- 50' of 1/4" (15.2 m of 6.35 mm) wire synthetic cable.
- · Corrosion-proof aluminum hawse fairlead.



#### **CAN-AM HD HAWSE FAIRLEAD**

- A must when upgrading your winch with a synthetic cable, this corrosion-proof aluminum hawse fairlead will prevent the cable from snapping in a corner of a roller fairlead and from wearing prematurely due to the rough surface of the worn roller guide.
- · Must be used with synthetic cables only.

Can-Am HD winch 715006426



#### **WARN HAWSE FAIRLEAD**

- · Double-powder-coated construction. · Required to use the Synthetic Winch Cable
- (705015070) on Warn winches.
- To be used with synthetic winch cables only.

#### 705208797



#### **ROLLER FAIRLEAD**

- Suggested when changing the wire rope.
- · Heavy-duty replacement fairlead for winches.

With Can-Am HD winch 710007082



#### WARN WIRED REMOTE CONTROL

- This kit allows winch owners to add the hand-held remote to their stock winch.
- EC compliant.
- Harness (710001023) is required to use remote control on a vehicle with a factory installed winch.

With Warn winch 710001002

for Warn winch.

With Warn winch

705015070

for winches.

715006430

cable damage and wear.

With Can-Am HD winch



SYNTHETIC WINCH CABLE

•50' of 1/4" (15.2 m of 6.35 mm) synthetic cable

• Warn Hawse Fairlead (705208797) is required

when upgrading to a synthetic cable to avoid

•50 ft. of 3/16" (15.2 m of 4.8 mm) synthetic cable

· Hawse Fairlead (715006426) required when upgrading to a synthetic cable to avoid premature

damage and premature wear of the cable.

#### **CAN-AM HD WIRED** REMOTE CONTROL

- · This kit allows winch owners to add the hand-held remote to vehicles with their stock winch.
- EC compliant.
- Remote control (710007050) and connection socket are included.

With Can-Am HD winch 715006504



#### **WIRE ROPE REPLACEMENT**

- 55' of 1/4" (16.8 m of 6.35 mm) wire rope for Warn winch kit
- With Warn winch 715006699
- •43' of 15/64" (14.3 m of 6.3 mm) wire rope. 4.500 lb (2.041 kg) pulling strength
- With Can-Am HD winch 705014978



**WINCH ELECTRICAL HARNESS** 

• Required for winch installation.

Maverick, Maverick MAX 715003585

#### SYNTHETIC CABLE EXTENSION

- · Lightweight 1/4" (6.3 mm) diameter, easy to handle and won't rattle in cargo box. • Easily attaches to winch cable to provide additional
- 50' (15.2 m) of distance. • 4,500 lb (2,041 kg) single line capacity.
- 715001120



#### X RC / X MR REAR TOW HOOK · Offers a solid place to hook onto

- in case towing is needed
- · Allows you to attach most straps and hooks.
- Made of rugged 3/16" (5 mm) steel plate and 5/8" (16 mm) steel hook tube.
- · Standard on Maverick X rc and X mr models

Maverick, Maverick MAX 715004450



#### **REAR HITCH**

- Rugged lightweight steel construction.
- · E-coated finish. • Fixed mounting point for trailer ball to provide vehicle
- with towing capabilities • This hitch offers 1,300 lb (590 kg) of towing capacity.
- · Hitch ball not included.

Maverick, Maverick MAX 715002883 • Black

715003938 • Can-Am Red





# PERFORMANCE



#### LONESTAR RACING HEAVY-DUTY SHIFT PLATE & KNOB

- The shift plate is made from durable stainless steel and bolts into place for a secure fit.
- The kit comes with a billet aluminum Lonestar Racing shift knob.
- Offers improved durability for
- the performance-oriented driver.

Maverick, Maverick MAX 715004866





LONESTAR RACING MUD

**FLAPS WITH BRACKETS** 

· Durable chromoly brackets.

Maverick, Maverick MAX

rocks and debris.

· Sold in pairs.

715004865


• These bolt-on mud flaps make a great addition.

· Protect trailing arms, rotors and CVs from

# LONESTAR RACING OUTER TOE LINK BOXED GUSSETS

 Protect and strengthen the middle radius rod links from rough riding conditions.
 Include high-grade steel bolts.

Maverick, Maverick MAX 715004868





Can-Am exclusive: Respond to Off-Road conditions like never before with 4WD powered by Smart-Lok™ Technology.



Smart-Lok™ is the most advanced Off-Road differential at your command. It's a fully lockable on-the-fly front differential with electronically controlled automatic modes that always returns maximum traction in every condition, period.

1

#### START WITH THE SMART-LOK™ DIFFERENTIAL

#### SMART-LOK™ DIFFERENTIAL

- Can-Am-exclusive Smart-Lok™ technology constitutes a true full lockable on-the-fly front differential with electronically controlled automatic modes.
   Choose your differential settings according to your riding need: "2x4" for rear wheel traction only, "4x4 Front Diff Lock" for a fully locked 4-wheel drive, and
   "4x4 Smart Modes" that offer preset, intelligent calibrations for your type of riding.
- Using multiple input sources, "Smart Modes" will instantaneously engage locking with the right load at the right moment to procure maximum traction while retaining low-speed maneuverability, allowing for optimal placement and a feeling of confidence.
- The Smart-Lok™ Kit comes standard with the Trail Mode.
- Mud, Rock and Trail Activ modes can be added by installing an additional Smart Mode Module (sold separately) to fine-tune your riding environment.

• Requires Performance Half Shafts (2x) and Front Differential Kit for installation.

Maverick produced after January 1, 2017 Maverick MAX 705402371



2

#### GET THE SMART-LOK™ INSTALLATION KIT & PERFORMANCE HALF SHAFT

#### SMART-LOK™ INSTALLATION KIT PERFO

Maverick,

2019 & up

715005329

Maverick MAX

(Not illustrated)

 Includes all necessary hardware and wiring for Smart-Lok™ Differential installation.

Maverick

produced after January 1, 2017

Maverick MAX

2018 and prior

715004746

n. 🕇

#### PERFORMANCE HALF SHAFT

- High-performance design ideal for Off-Road use, with superior wheel power and acceleration for racing, dunes and desert riding.
- Includes CVs, Shaft and Boots with the best suited geometry for your Can-Am vehicle.

Maverick, Maverick MAX (64" models) 705401634 Maverick, Maverick MAX (72" models) 705402048



3

#### FINE-TUNE YOUR RIDING ENVIRONMENT WITH A SMART MODE MODULE (OPTIONAL)

These modules allow you to add the **Mud, Rock** or **Trail Activ** Smart Mode to vehicles equipped with the Smart-Lok™ Differential Kit.
• Only one Smart Mode Module can be installed at a time.

# POWER THROUGH DEEP MUD

- Designed to deliver superior traction in the deepest mud holes.
- When high engine torque and/or slippage is detected, Smart-Lok™ will fully lock the front end.
- The system will stay locked until throttle release.

#### **MUD SMART MODE MODULE**


Maverick, Maverick MAX 715005282



- Designed to help cross challenging rocks.
- When high engine torque is detected at low vehicle speed, Smart-Lok™ will progressively lock the front end and will stay engaged until throttle release to prevent wheel slippage and provide optimal traction.
- The progressive engagement allows for easier steering when maneuvering the vehicle.

#### **ROCK SMART MODE MODULE**

Maverick, Maverick MAX 715005283



- $\bullet \ \mathsf{Designed} \ \mathsf{for} \ \mathsf{aggressive} \ \mathsf{riding} \ \mathsf{delivering}$
- the ultimate cornering precision.
- When high engine torque and/or an increase in vehicle speed is detected, Smart-Lok™ will progressively engage the front end and maintain it engaged until throttle release or vehicle speed reduction.
- The progressive engagement allows for lower smooth steering effort.

#### TRAIL ACTIV SMART MODE MODULE

Maverick, Maverick MAX 715005284

PERFORMANCE | ACCESSORIES ACCESSORIES | PERFORMANCE



#### FIRE EXTINGUISHER

- · Ideal for grease, oil and electrical fires.
- Fits with Lonestar Racing Fire Extinguisher Support Kit.
- · Not EC compliant. 295100833



#### **LONESTAR RACING OUICK RELEASE CLUTCH COVER PINS**

- This kit will allow you to take off your clutch cover in seconds to access the belt tool-lessly.
- Includes 4 stainless steel "quick release" pins with clips and tethers.
- Replaces all clutch cover screws.
- This product affects the clutch cover sealing. It is highly recommended to use this product under dry riding conditions only.

#### Maverick, Maverick MAX

715005045

#### LONESTAR RACING HEAVY-DUTY REAR BOXED RADIUS ROD SUPPORT PLATE

- Double-layered radius rod support plate made of high-grade steel.
- Reinforces your rod mounting location on the frame while adding a mean racing look to your vehicle.
- · Easy to install. Maverick, Maverick MAX

715005046

#### **LONESTAR RACING FIRE EXTINGUISHER SUPPORT**


- Quick-release support that allows you to slide the fire extinguisher out in a matter of seconds in an emergency situation.
- Made of billet anodized black aluminum.
- Provides you with the safety and security of having dependable emergency equipment on board.
- Fits 1.85" (4.7 cm) tubing.
- Can be fixed everywhere on the cage.
- · Comes with both billet mounts, quick-pull pin,
- mounting plate and 2 clamps. • Fire extinguisher sold separately.
- "Lonestar Racing for Can-Am" branded.

Maverick, Maverick MAX 715003734









#### YOSHIMURA SLIP-ON EXHAUST

- Developed in collaboration with Yoshimura.
- Made from 304-grade stainless steel with brushed aluminum tip.
- Better sounding, better looking and 19% lighter than stock muffler. USDF/USDA approved spark arrester.
- · Fuel injection system tuning not required. • ROHVA and EPA compliant.
- Maverick, Maverick MAX 715005183 · In-Line Triple

· Not EC compliant.





715005183

#### X RC BRAKE PEDAL


- Brake pedal with larger foot surface. • This improves ergonomics and control for
- the rider in rock climbing conditions.

Maverick, Maverick MAX 715004901



ACCESSORIES | PERFORMANCE | ACCESSORIES





#### **OFF-ROAD SCREW JACK**

- Race-inspired screw-type design for lifting your vehicle and changing flats fast and effortlessly while on the trail.
- Can be easily operated with any standard socket wrench or impact gun (1/2" [13 mm] drive).
- Integrated support base to facilitate mounting on spare tire carriers.
- Features two fixed attachment points for secure lift spot.
- Height can be adjusted between 7.5" (19 cm) and 42.5" (108 cm).

Maverick, Maverick MAX 715006190



#### HIGH OUTPUT 172HP UPGRADE KIT

- Performance upgrade kit for Maverick 2017 models only.
- Gain 18 HP for a total of 172 HP.
- Includes: Intercooler with fan, fuel pump catalyst and high performance belt.
- Installation must be done by an authorized BRP dealership
- to preserve the vehicle's warranty.
- C.A.R.B. Executive Order #D-799U.

Maverick, Maverick MAX (2017 models) 715004700




#### ARCHED LOWER SUSPENSION LINKS

- Arched lower links to free up more ground clearance.
- Standard on X mr and X rc models.

Maverick, Maverick MAX 715005066 • 72" models

715005065 • 64" models



\*WARNING: Any modifications or addition of accessories may affect the handling of your vehicle. It is important to take the time to get familiar with the vehicle once modifications are made to understand how to adapt your driving behavior accordingly. Do not tamper with unauthorized modifications or install equipment not specifically certified by BRP for the vehicle. These modifications have not been tested by BRP and they may increase the risk of injury or loss of control, or render the vehicle illegal to ride. Ask your authorized BRP dealer for suitable accessories for your vehicle.



#### RADIATOR RELOCATOR

- Relocates stock radiator to rear of cage.
- Protects it from debris and rocks.
- Prevents cooling performance loss in muddy condition.
- · Reduces hot air in the cabin.
- Easy to clean.
- Includes support hardware and hoses.
- Not compatible with any bed accessories, Rear Cage mounted accessories, Complete MTX Audio system and Upper Soft Doors (except LinQ 8 Gal [30 L] Cooler Box).
- Radiator (709200703) is required
- for installation on 2017 models.

Maverick, Maverick MAX 715004937

#### SNORKEL PRE-FILTER

- Pre-filter specifically for snorkels.
- Adds extra protection to your engine
- in harsh riding conditions.
- Helps keep air filter cleaner.Filter blocks particles larger than 0.005" (0.13 mm).
- Necessary to maintain vehicle warranty
- when tracks are installed.

Maverick, Maverick MAX (with Snorkel kit) 715005599



#### **SNORKEL KIT**

- Raises point of engine and CVT air intakes so vehicle can be semi-submersed in water or mud without the engine taking in water.
- Not compatible with S&B Particle Separator, LinQ Pivoting Rack, Lonestar Racing Rear Intrusion Bar or any rear panels or windows.
- Sealed Air Box 707800780 (sold separately) is required for installation on models manufactured before January 1, 2018.
- Standard on Maverick X mr models.
  Not EC-compliant.

Maverick, Maverick MAX (2019 and prior) 715003733





#### **EMERGENCY KIT**

- Complete emergency kit provides all essential equipment and supplies to get out
- of most unfavorable situations powersport enthusiasts may find themselves in.
- Includes jumper cables, air compressor, tire-repair kit, first-aid kit, ratchet tie-down, duct tape, 3,300 lb (1,500 kg) tow strap, zip-ties and cloth rags.

Maverick, Maverick MAX 715004359



#### PERFORMANCE TWIN **AIR FILTER**

- · The best choice for the harshest conditions.
- Multiple staged oiled filtering foam for superior dust retaining capacity with high air flow.
- · Washable and reusable.

Maverick, Maverick MAX 715002895



#### **FOAM REPLACEMENT**

(Not illustrated)

• Replacement foam for Performance Twin Air Filter.

Maverick, Maverick MAX 707800713

# VERS & ADD-ONS

#### **TRAILERING COVER**

(Not illustrated)

- Heavy-duty canvas made of UV-resistant solution-dyed polyester.
- Inner soft liner protects windshield and colored panels from abrasion.
- · All high-abrasion areas are reinforced with a double canvas layer.
- Weather-resistant trailering cover protects your vehicle during storage and transportation.
- Opening for fuel cap and cabin access
- on passenger side. Quick and easy installation.
- Designed to perfectly fit your vehicle with or without Can-Am accessories.

Maverick 715005813 Maverick MAX 715005814

#### **BOLT-ON' RETRACTABLE RATCHETING TIE-DOWNS**

- · Perfect for transporting your powersport vehicle or securing loads.
- Mounts easily: Bolts on any flat surface (e.g., truck bed or frame).
- 1" x 6' (2.5 cm x 1.8 m) tie-down strap with heavy-duty stitching that delivers a 500 lb (226 kg) working load strength and 1,500 lb (680 kg) break strength.
- · Convenient retractable push button automatically slackens, spools and stores away strap, while the ratchet mechanism tightens the strap snugly to secure your vehicle or load into place.
- Rubber ratcheting handle provides firm grip. and the hook is vinyl coated to protect whatever surface it hooks into.

 Sold in pairs. 295100737




#### **RATCHET TIE-DOWNS**

- 400 lb (181 kg) safe working load.
- 1" x 10' (2.5 cm x 3 m) strap with Sea-Doo, Ski-Doo and Can-Am logos.
- Deluxe ratchet with rubber handle.
- · Coated S hooks.
- Pack of 2.

860200447 • Black/Grey







#### **APACHE BACKCOUNTRY**

Finally explore winter with no traction limitations and no compromise, thanks to the unmatched performance of Apache Backcountry track kits. Engineered to thrive in the deepest snow—for work or play. Don't let winter stand in the way.



#### **APACHE 360, 360 LT**

Adapt your track setup to the conditions you'll be riding in and the purpose of your ride with the Apache 360 LT system: our all-season, all-terrain masterpiece.

#### **WINTER TRACKS**

GET THE MOST OUT OF YOUR CAN-AM VEHICLE THIS WINTER FOR ALL YOUR ENDEAVORS.

The same technology behind our world-renowned snowmobiles is at your command. With a larger contact patch, and more aggressive track design, travel beyond what you thought possible with the best snow performance.




COVERED BY A

## YEAR ROUND TRACKS


**WORK & PLAY YEAR ROUND THROUGH** MUD, SNOW & ALL TYPES OF TERRAIN.

Rise above terrain and weather, with the Apache 360 LT track kits — the upgrade that takes the Can-Am experience to another level. Designed for superior traction and carrying heavier loads in soft terrain, 360LT track kits can be installed on ATV and SSV vehicles and used for exploring and completing tough tasks.

#### **APACHE BACKCOUNTRY**



Aggressive track design with a 2" (5 cm) lug height for maximum traction



Largest contact patch anywhere: 37% more than the Apache 360 LT

#### **APACHE BACKCOUNTRY LT TRACK SYSTEM**

- Tracks designed to deliver the best snow performance on the market with unmatched flotation level and traction on snow surface.
- · Large contact patch, 37% bigger than the Apache 360 LT.
- Impressive added ground clearance of 6.4" (16 cm)
- helps keep the vehicle over the snow.
- Lightweight snowmobile-inspired rail design
- Aggressive track design with 2" (5 cm) lug height for maximum traction on snow. Apache Backcountry LT Mounting Kit, Track DPS Module and
- Engine and CVT Pre-Filter are required.
- Fine-tune your track system using extra Idler Wheels, Sliders
- with Vespel Inserts and Rail Ice Scratcher.
- · For winter use only.

Maverick, Maverick MAX 715004734

#### **NEW RAIL ICE SCRATCHERS**

- Provide additional lubrication in hard
- and icy conditions.
- Rail mounted, small, light · Design expands on coil concept
- to allow reversing without damage.
- Easily stored when not in use.

**Apache Backcountry Track System** 860201728



#### **SLIDERS WITH VESPEL<sup>†</sup> INSERTS**

- Use DuPont Vespel inserts
- for less friction.
  - · Longer life.
  - · Can be cut to desired length.
- · 8 needed per vehicle.
  - Sold individually.

Apache Backcountry and Apache Backcountry LT



#### APACHE BACKCOUNTRY LT MOUNTING KIT

#### (Not illustrated)

- Required for installation of the Apache Backcountry Track LT System.

72" models 715004397

- Additional wheel kit for Backcountry LT rear tracks.
- Reduces drag and rolling resistance in hard snow
- Extends slider life in hard snow conditions. Includes two wheels, cross shaft and mounting




#### **APACHE 360 LT**

Added ground clearance of 4.5" (11.4 cm)









#### **APACHE 360 LT TRACK SYSTEM**

- Multifunctional tracks designed to support heavy loads and to fit on most Can-Am Off-Road vehicles.
- Front wheel height adjustment provides enhanced attack angle and better performance over rough terrain when raised or increased contact patch for improved flotation when lowered.
- Average ground clearance increase of 4.5" (11.4 cm).
- •1" (2.5 cm) lugs in the front and 1.25" (3.2 cm) in the back.

**ENGINE & CVT AIR INTAKE PRE-FILTER** 

•Adds extra protection to your engine in harsh riding conditions

- Apache 360 LT Mounting Kit, Track DPS Module and Engine and CVT Pre-Filter Kit are required.
- · Reliable heavy-duty build.
- EC compliant.
- · Recommended for use on snow only for Maverick.

Maverick, Maverick MAX 715005103

#### **APACHE 360 LT MOUNTING KIT**

(Not illustrated)

• Required for installation of the Apache 360 LT Track System.

• Track DPS Module and Pre-Filter not included.

and vibration while ensuring reliability

Maverick, Maverick MAX 64" models

72" models 715004393 715004392

#### TRACK DPS MODULE

(Not illustrated)

- Innovative DPS module that ensures speedometer accuracy and
- optimized steering assist, making for perfect track control and riding ease.
- Required to install the Apache Track Sytems
- Not sold in Europe

Maverick, Maverick MAX 715004707

#### Required to install the Apache Backcountry and Apache 360 LT Track Sytems **SNORKEL PRE-FILTER**

- Pre-filter specifically for snorkels.
- Adds extra protection to your engine in harsh riding conditions. · Helps keep air filter cleaner.
- Filter blocks particles larger than 0.005" (0.13 mm).
- · Necessary to maintain vehicle warranty when tracks are installed.

Maverick, Maverick MAX (with Snorkel kit)

715005599



- DPS module and Pre-Filter are required and sold separately
- Maverick, Maverick MAX
- 715004394



- conditions or when transporting heavier loads.
- hardware per kit to service one track corner. Up to two kits per rear track can be installed.

**Apache Backcountry LT Wheel kit** 715006293






# PROMOUNT PLOWS

THE PROMOUNT LINEUP WAS CREATED FOR BOTH PROFESSIONAL OPERATORS AND ENTHUSIASTS LOOKING TO TAKE THEIR TOOL KIT TO THE NEXT LEVEL. DESIGNED TO WORK AS EFFICIENTLY AS POSSIBLE. CAN-AM REIMAGINED THE PLOW FROM MOUNT TO BLADE.




MOST **EFFICIENT** MOUNTING SYSTEM

Underbelly mounting plate provides the optimal angle of attack for best push strength.



The forward mounted push frame provides industry leading lift height.




Low profile mounting plate has little ct on ground clearance and can be left installed year round.

#### **CONNECTS WITH A CLICK**

Attachable in FOUR EASY STEPS, the Can-Am ProMount plow system is the fastest, easiest way to start plowing and get the job done-minimal effort for maximum result.




Drive straight toward the plow.



Attach the winch cable to the plow using a guiding hook/roller.



Lift the plow until it clips onto the mounting plate



Remove the winch cable from the guide. You're ready to plow.

#### CAN-AM PROMOUNT ANGLE PLOWS

#### **NEW CAN-AM ANGLE BLADES**

- Make the job easier with the right tools, clear long alleys and make the task easier by sending the snow further out of the way.
- •Wing end of plow measures 25" (63 cm) high and tapers down to 16" (41 cm).
- One-way "winged" state plow designed to throw snow higher.
- Rubber flap designed to keep snow away from the driver.
- · Can-Am branded.

72" (183 CM) STEEL **ONEWAY STATE BLADE** 

715007264 · Black



#### YOUR JOB, YOUR CHOICE

Get a custom solution that truly fits the task at hand—with quality components and no cut corners. The ProMount mounting plate, push frame, and blades are a universal system that can be adapted to your specific Can-Am and jobsite.

#### CAN-AM PROMOUNT PUSH FRAME WITH OUICK-ATTACH SYSTEM

- Heavy-duty steel tubes designed to withstand the roughest use.
- Mid-mount carriage provides ultimate push strength and traction.
- Designed for maximum plow lift height.
- Features a self aligning quick-attach system, an easy foot release pedal and an ergonomic handle for plow angle adjustment.
- Can-Am ProMount Mounting Plate required for installation.
- Blade swivels left or right, 5 positions.
- Large pin designed for easy blade rotation to eliminate dirt and snow buildup at pivot point

Maverick, Maverick MAX 715003910



#### **PUSH FRAME EXTENSION**

• 12" (30 cm) push frame extension required when plow is installed with Apache Track Systems.



#### **CAN-AM PROMOUNT MOUNTING PLATE**

- Required to install the Can-Am ProMount Push Frame with Quick-Attach System.
- · Mounting plate precision-designed to stay on year round without compromising ground clearance.
- Not compatible with S3 Front High Clearance A-Arm (715003784 and 715005116).

Maverick, Maverick MAX

715004484



#### **CREATE YOUR OWN KIT**

by choosing any plow type/length that you'd like for your push frame. ProMont Push Frames are compatible with all the blades.

the ProMount steel blades are offered in multiple sizes to fit

ACCESSORIES | PROMOUNT PLOWS PROMOUNT PLOWS | ACCESSORIES

#### **CAN-AM PROMOUNT FLEX2 PLOWS**

HMWPE (High Molecular Weight Polyethylene) technology gives Flex2 greater reliability, resistance to impact, and immunity to rust or deformation. Tough on jobs but flexible in the face of obstacles, the Flex2 blade simplifies work.

#### **CAN-AM PROMOUNT FLEX2 PLOW KIT**

#### These kits include:

- Can-Am ProMount Flex2 Blade
- · Push Frame with Quick-Attach System
- Mounting Plate (not illustrated)

#### 72" (183 CM) BLADE

Maverick, Maverick MAX 715006301 · Black



#### **CAN-AM PROMOUNT FLEX2 BLADES**

- · Blades available individually
- to create your own kit.
- Compatible with Can-Am ProMount Blade accessories to further enhance plow versatility.

#### 72" (183 CM) BLADE

• Clears 66" (168 cm) when plow is fully angled.

**ProMount Push Frame** 715004485 · Black



#### **CREATE YOUR OWN KIT**

by choosing any plow type/length that you'd like for your push frame. **ProMont Push** Frames are compatible with all the blades.


## **CAN-AM PROMOUNT STEEL PLOWS**

Made from 12-gauge steel and designed for efficient plowing, the ProMount steel blades are offered in multiple sizes.

#### **CAN-AM PROMOUNT STEEL PLOW KITS**

#### These kits include:

- Can-Am ProMount Steel Blade
- Push Frame with Quick-Attach System



715006302 · Black 715006303 · Yellow



72" (183 cm)

#### **CAN-AM PROMOUNT STEEL BLADES**

- Blades available individually to create your own kit.
- Compatible with Can-Am ProMount Blade accessories to further enhance plow versatility.

#### 72" (183 CM) BLADE Blade height of 17" (43 cm).

• Clears 66" (168 cm) when plow is fully angled.

**ProMount Push Frame** 

715004474 · Black 715006021 · Yellow



#### CONSULT YOUR DEALER FOR THE BEST PLOW WIDTH.

Made from 12-gauge steel and designed for efficient plowing, the ProMount steel blades are offered in multiple sizes to fit jobs large or small.

#### **CREATE YOUR OWN KIT**

by choosing any plow type/length that you'd like for your push frame. ProMont Push Frames are compatible with all the blades.

#### CONSULT YOUR DEALER FOR THE BEST PLOW WIDTH.

Made from 12-gauge steel and designed for efficient plowing, the ProMount steel blades are offered in multiple sizes to fit

#### CAN-AM PROMOUNT PLOW ACCESSORIES

#### (1) CAN-AM PROMOUNT **EDGE MARKERS**

- Help locate the edges of your plow.
- · Height: 24" (60 cm).
- · Sold in pairs.
- · Compatible with Can-Am ProMount Steel and Flex2 Blades with or without Blade Extensions (except for the Can-Am ProMount Steel 54" (137 cm) Blades).

Maverick, Maverick MAX 715004206

#### (2) CAN-AM PROMOUNT PLASTIC WEAR BLADE\*

• To help prevent scratches on smooth driveways and markable surfaces.

#### Maverick, Maverick MAX

66" (168 cm) 72" (183 cm) 715004482 715004483



#### (3) CAN-AM PROMOUNT DRIFT CUTTERS\*

- · Help keep snow in the plow.
- Dimensions: 17" x 13" (43.2 cm x 33 cm).
- · Sold in pairs.
- Compatible with Can-Am ProMount Steel and Flex2 Blades with or without Blade Extensions (except for the Can-Am ProMount Steel 54" [137 cm] Blades).

Maverick, Maverick MAX

715006258

#### $_{f (4)}$ CAN-AM PROMOUNT BLADE EXTENSIONS

- Add 3" (8 cm) each side.
- Compatible with Can-Am ProMount Blades (except for Can-Am ProMount Steel 54" [137 cm] Blade).
- · Longer Wear Blade can be installed to further extend the extra length
- already provided by the extensions. Compatible with Can-Am ProMount Steel and Flex2 Blades (except for the Can-Am ProMount Steel 54" [137 cm] Blades).

#### Maverick, Maverick MAX

715004205 • Black

715005319 • Yellow



#### **PLOW ANGLING SYSTEM**

- · Converts your plow system into an easy-to-control unit from the driver's seat.
- · Allows you to have full up/down and left/right plow control at your fingertips by using the supplied joystick.
- · Using one hand to control all plow motions will allow you to easily concentrate and manage your plowing tasks.
- Not compatible with Backcountry LT track kits on Maverick.

Compatible with any ProMount Push Frame and Blade 715006022

#### PLOW ROLLER FAIRLEAD

- Larger diameter lower roller reduces wear on wire rope for plow application
- · Can be used with all ProMount plows.

Maverick, Maverick MAX 705203753



#### PLOW LIMIT SWITCH

(Not illustrated)

- For controlling the cable tension when over raising your plow system.
- Prevents winch, plow push frame and vehicle damage.
- · Sensor relocated for optimal lift height.

Maverick, Maverick MAX

715006259



#### **TIRES**

#### **X DS TIRE MAXXIS BIGHORN**

(Not illustrated) Front - 29" x 9" x 14" 705402081

Rear - 29" x 11" x 14" 705502604

#### X RS TIRE **MAXXIS BIGHORN**

(Not illustrated) Front & Rear - 30" x 10" x 14" 705402082

#### **MAXXIS BIGHORN 2.0 TIRE**

Front - 28" x 9" x 14" 705402080

705502603 Front - 27" x 9" x 14" 705402168 . (€

Rear - 27" x 11" x 14" 705502665. (€



#### **MAXXIS LIBERTY TIRE**

- Engineered for performance driving and to give you and your side-by-side freedom in a variety of terrains. · 8-ply radial construction.
- Maverick Xrc 30" x 10" x 14"

32" x 10" x 15" 705402464



#### **RIMS**

#### 14" MAVERICK X RC RIM

· Black with clear coat aluminum rim

Maverick, Maverick MAX 705402256



#### 14" MAVERICK **BEADLOCK RIM**

the beadlock.

- · Black aluminum rim with machined face and clear coat.
- · Choice of beadlock color (not included). Needs 16 bolts (250000893) for installing

Maverick, Maverick MAX

705402207 • Black and machined 705402173 • Black



#### 14" MAVERICK BEADLOCK RIM

- · Black with clear coat aluminum rim.
- · Choice of beadlock color.
- Needs 16 bolts (250000893) for installing the beadlock

Maverick, Maverick MAX Front - 14" x 7"

• Offset = 55 mm

• For Xrs = Front and rear 705402393

Rear - 14" x 8" • Offset = 76mm 705502814



#### 14" MAVERICK RIM

· Black with clear coat aluminum rim.

Maverick & Maverick MAX

Front - 14" x 7"

• Offset = 55 mm 705401965

Rear - 14" x 8" Offset = 76 mm 705502493



#### 14" MAVERICK BEADLOCK RING

- · Cast aluminum beadlock.
  - Must be installed on Front Rim (705401706) and Rear Rim (705502286)

Maverick & Maverick MAX (X rs, X ds models only)

705401709 • Black

705401913 · Gold

705402358 • Can-Am Red


705402472 • Manta Green



#### EXPLORE AN ENTIRE WORLD OF ADVENTURE WITH ALL OF OUR BRP PRODUCTS. BRP.COM


# APPAREL

Clothing, helmets, glasses and everything else you need to shift your Can-Am experience into high gear.



# PARTS & MAINTENANCE

Essential items to keep your Can-Am tearing up the tarmac, including oils, filters maintenance products and cleaning products.











SKI-DOO. LYNX. SEN-ADD. CAN-AM. ROTAX. ALUMAC Noft. Wanitou EVINRUDE.

